

TESTPROBNÍK s.r.o.

materiál	Ferrous	NonFerrous	SS316	SS304	SS420C	SS440C	Aluminium	Delrin (POM/Acetalplast)	Drátek SS316 délka 2mm	Drátek SS316 - délka 5mm	Nylon grade 1	Ph Bronze	Rubber Nitrile	Ceramic	Teflon (PTFE)	Titanium	Zirconia	Borosilicate glass	SodaLime Glass	Crystal glass	Quartz glass	
hustota g/cm3	7,833	8,425	8,027	7,916	7,75	7,75	2,81	1,41	8,027	8,027	1,13-1,15	8,4	1,36	3,94	2,1 - 2,3	4,43	6,05	2,23	2,58	3,2	2,2	
0,20 mm									✓	✓												
0,25 mm	✓																					
0,30 mm	✓	✓	✓																			
0,31 mm									✓	✓												
0,35 mm			✓																			
0,40 mm	✓	✓	✓						✓	✓												
0,50 mm	✓	✓	✓	✓		✓			✓	✓												
0,60 mm	✓	✓	✓	✓					✓	✓												
0,63 mm									✓	✓												
0,70 mm	✓	✓	✓						✓	✓												
0,71 mm									✓	✓												
0,80 mm	✓	✓	✓	✓			✓		✓	✓												
0,90 mm	✓	✓	✓						✓	✓												
1,00 mm	✓	✓	✓	✓		✓	✓	✓	✓	✓				✓			✓		✓			✓
1,10 mm	✓	✓	✓																			
1,20 mm	✓	✓	✓	✓			✓															
1,30 mm	✓	✓	✓	✓																		
1,40 mm	✓	✓	✓																			
1,50 mm	✓	✓	✓	✓	✓	✓	✓					✓		✓		✓	✓		✓			
1,55 mm				✓																		
1,58 mm	✓						✓								✓							
1,60 mm	✓	✓	✓				✓					✓										
1,70 mm	✓	✓					✓															
1,75 mm		✓																				
1,80 mm	✓	✓	✓	✓			✓															
1,90 mm		✓	✓				✓															
2,00 mm	✓	✓	✓	✓		✓	✓	✓			✓	✓		✓	✓		✓		✓	✓	✓	✓
2,20 mm	✓	✓	✓																			

TESTPROBNÍK s.r.o.

materiál	Ferrous	NonFerrous	SS316	SS304	SS420C	SS440C	Aluminium	Delrin (POM/Acetalplast)	Drátek SS316 délka 2mm	Drátek SS316 - délka 5mm	Nylon grade 1	Ph Bronz	Rubber Nitrile	Ceramic	Teflon (PTFE)	Titanium	Zirconia	Borosilicate glass	SodaLime Glass	Crystal glass	Quartz glass	
hustota g/cm3	7,833	8,425	8,027	7,916	7,75	7,75	2,81	1,41	8,027	8,027	1,13-1,15	8,4	1,36	3,94	2,1 - 2,3	4,43	6,05	2,23	2,58	3,2	2,2	
2,30 mm	✓	✓																				
2,38 mm		✓											✓									
2,40 mm	✓	✓	✓																			
2,50 mm	✓	✓	✓	✓		✓	✓							✓	✓	✓			✓			
2,70 mm	✓	✓																				
2,77 mm	✓																					
2,80 mm	✓	✓	✓																			
3,00 mm	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓		✓	✓	✓	✓		✓	✓	✓	
3,17 mm							✓						✓									
3,18 mm															✓							
3,20 mm	✓	✓	✓																			
3,25 mm	✓																					
3,50 mm	✓	✓	✓	✓		✓	✓							✓					✓	✓		
3,80 mm	✓																					
3,97 mm																			✓	✓	✓	✓
4,00 mm	✓	✓	✓	✓		✓	✓	✓			✓	✓	✓	✓	✓		✓		✓	✓	✓	✓
4,50 mm	✓	✓	✓	✓		✓	✓							✓					✓	✓		
4,67 mm															✓							
4,76 mm													✓									
4,77 mm		✓	✓																			
5,00 mm	✓	✓	✓	✓		✓	✓	✓			✓			✓	✓		✓	✓	✓	✓	✓	✓
5,50 mm	✓	✓	✓	✓			✓															
5,55 mm															✓							
6,00 mm	✓	✓	✓	✓		✓	✓	✓			✓			✓	✓		✓	✓	✓	✓	✓	✓
6,25 mm														✓								
6,35 mm	✓	✓	✓				✓						✓						✓			
6,50 mm	✓	✓	✓	✓																		
7,00 mm	✓	✓	✓	✓			✓	✓						✓	✓		✓		✓			

TESTPROBNÍK s.r.o.

materiál	Ferrous	NonFerrous	SS316	SS304	SS420C	SS440C	Aluminiu m	Delrin (POM/Ace talplast)	Drátek SS316 délka 2mm	Drátek SS316 - délka 5mm	Nylon grade 1	Ph Bronz	Rubber Nitrile	Ceramic	Teflon (PTFE)	Titanium	Zirconia	Borosilicate glass	SodaLime Glass	Crystal glass	Quartz glass	
hustota g/cm3	7,833	8,425	8,027	7,916	7,75	7,75	2,81	1,41	8,027	8,027	1,13-1,15	8,4	1,36	3,94	2,1 - 2,3	4,43	6,05	2,23	2,58	3,2	2,2	
7,50 mm	✓	✓	✓	✓										✓								
7,94 mm		✓	✓										✓				✓					
8,00 mm	✓	✓	✓	✓		✓	✓	✓						✓	✓				✓	✓		
8,50 mm	✓	✓	✓	✓		✓								✓								
9,00 mm	✓	✓	✓	✓										✓								
9,50 mm	✓	✓	✓	✓																		
9,52 mm													✓		✓							
10,00 mm	✓	✓	✓	✓		✓		✓					✓	✓	✓		✓		✓			
10,31 mm				✓																		
10,40 mm							✓															
10,50 mm	✓																					
11,00 mm	✓	✓	✓	✓																		
12,00 mm	✓	✓	✓	✓				✓						✓	✓				✓			
12,70 mm													✓									
13,00 mm	✓	✓	✓																			
14,00 mm	✓	✓	✓																✓			
15,00 mm	✓	✓	✓	✓																		
16,00 mm		✓	✓																			
17,00 mm	✓																					
20,00 mm	✓	✓	✓	✓																		
25,00 mm	✓	✓	✓																			